Author index

Abruña, H., see Tatini, R. 193

Achenbach, J.C.

-, Nutiu, R. and Li, Y.

Structure-switching allosteric deoxyribozymes 41

Amini, M.K., see Salimi, A. 335

Anderson, G.P., see Goldman, E.R. 63

Apak, R., see Üzer, A. 307

Araki, J., see Yoshida, H. 177

Baghdadi, M., see Shemirani, F. 163

Bartolomé, L., see Cortazar, E. 247

Bendicho, C., see Huerga, A. 121

Bernhard, S., see Tatini, R. 193

Beucher, C., see Corvaisier, R. 149

Bi, L.

-, Shen, Y., Jiang, J., Wang, E. and Dong, S.

Electrochemical behavior and assembly of tetranuclear Dawsonderived sandwich compound [Cd₄(H₂O)₂(As₂W₁₅O₅₆)₂]¹⁶⁻ on 4aminobenzoic acid modified glassy carbon electrode 343

Bocarsly, A., see Wang, E. 301

Boutilier, K.

—, Ross, M., Podtelejnikov, A.V., Orsi, C., Taylor, R., Taylor, P. and Figeys, D.

Comparison of different search engines using validated MS/MS test datasets 11

Burkhardt, M.R.

—, ReVello, R.C., Smith, S.G. and Zaugg, S.D.

Pressurized liquid extraction using water/isopropanol coupled with solid-phase extraction cleanup for industrial and anthropogenic wasteindicator compounds in sediment 89

Cai, P., see Liang, R. 223

Campíns-Falcó, P., see Moliner-Martínez, Y. 327

Chang, X.-L.

—, Chen, H.-B., Zhao, X.-Z., Gao, Z.-H., Xu, H.-B. and Yang, X.-L. High-performance liquid chromatography determination of triptolide in vitro permeation studies 215

Chen, B., see García, J.B. 255

Chen, H.-B., see Chang, X.-L. 215

Chen, H.-Y., see Lee, J.-A. 185

Chen, S.-M., see Lee, J.-A. 185

Chow, K.-F., see Wang, E. 301

Collier, T.O., see Staggemeier, B.A. 79

Cortazar, E.

—, Bartolomé, L., Delgado, A., Etxebarria, N., Fernández, L.A., Usobiaga, A. and Zuloaga, O.

Optimisation of microwave-assisted extraction for the determination of nonylphenols and phthalate esters in sediment samples and comparison with pressurised solvent extraction 247

Corvaisier, R.

-, Tréguer, P., Beucher, C. and Elskens, M.

Determination of the rate of production and dissolution of biosilica in marine waters by thermal ionisation mass spectrometry 149

Costa-García, A., see Fanjul-Bolado, P. 231

Daeseleire, E., see Huet, A.-C. 157

Dahlin, J., see Karlsson, D. 263

Dalene, M., see Karlsson, D. 263

Delahaut, P., see Huet, A.-C. 157

Delgado, A., see Cortazar, E. 247

Dong, S., see Bi, L. 343

El-Shahawi, M.S.

—, Hassan, S.S.M., Othman, A.M., Zyada, M.A. and El-Sonbati, M.A. Chemical speciation of chromium(III,VI) employing extractive spectrophotometry and tetraphenylarsonium chloride or tetraphenylphosphonium bromide as ion-pair reagent 319

El-Sonbati, M.A., see El-Shahawi, M.S. 319

Elliott, C., see Huet, A.-C. 157

Elskens, M., see Corvaisier, R. 149

Erçağ, E., see Üzer, A. 307

Erdem, A., see Yersel, M. 293

Eroğlu, A.E., see Yersel, M. 293

Etxebarria, N., see Cortazar, E. 247

Evanics, F.

- and Prosser, R.S.

Discriminating binding and positioning of amphiphiles to lipid bilayers by ^1H NMR 21

Fanjul-Bolado, P.

-, González-García, M.B. and Costa-García, A.

Detection of leucoindigo in alkaline phosphatase and peroxidase based assays using 3-indoxyl phosphate as substrate 231

Fernández, L.A., see Cortazar, E. 247

Figeys, D., see Boutilier, K. 11

Fodey, T., see Huet, A.-C. 157

Fukushima, T., see Lee, J.-A. 185

Gao, Z.-H., see Chang, X.-L. 215

García, J.B.

-, Krachler, M., Chen, B. and Shotyk, W.

Improved determination of selenium in plant and peat samples using hydride generation-atomic fluorescence spectrometry (HG-AFS) 255

Gee, S.J., see Mak, S.K. 109

Georgiou, G., see Goldman, E.R. 63

Goel, A., see Sharma, R.K. 137

Goldman, E.R.

—, Medintz, I.L., Hayhurst, A., Anderson, G.P., Mauro, J.M., Iverson, B.L., Georgiou, G. and Mattoussi, H.

Self-assembled luminescent CdSe–ZnS quantum dot bioconjugates prepared using engineered poly-histidine terminated proteins 63

González-García, M.B., see Fanjul-Bolado, P. 231

Good, T.A., see Simonian, A.L. 69

Grahek, Š.

— and Rožmarić Mačefat, M.

Determination of radioactive strontium in seawater 271

Guo, H.

-, Li, Y., Xiao, P. and He, N.

Determination of trace amount of bismuth(III) by adsorptive anodic stripping voltammetry at carbon paste electrode 143

Hallaj, R., see Salimi, A. 335

Hammock, B.D., see Mak, S.K. 109

Hassan, S.S.M., see El-Shahawi, M.S. 319

Hayhurst, A., see Goldman, E.R. 63

He, N., see Guo, H. 143

Herráez-Hernández, R., see Moliner-Martínez, Y. 327

Hirose, S., see Yoshida, H. 177

Huang, T.-H., see Wang, S.-P. 207

Huerga, A.

-, Lavilla, I. and Bendicho, C.

Speciation of the immediately mobilisable As(III), As(V), MMA and DMA in river sediments by high performance liquid chromatography-hydride generation-atomic fluorescence spectrometry following ultrasonic extraction 121

Huet, A.-C.

—, Mortier, L., Daeseleire, E., Fodey, T., Elliott, C. and Delahaut, P. Development of an ELISA screening test for nitroimidazoles in egg and chicken muscle 157

Imai, K., see Lee, J.-A. 185

Ishida, J., see Yoshida, H. 177

Iverson, B.L., see Goldman, E.R. 63

Jamali, M.R., see Shemirani, F. 163

Jiang, J., see Bi, L. 343

Jiao, C.j., see Yan, Z.y. 199

Karlsson, D.

-, Dahlin, J., Marand, Å., Skarping, G. and Dalene, M.

Determination of airborne isocyanates as di-*n*-butylamine derivatives using liquid chromatography and tandem mass spectrometry 263

Kotoris, C.C., see Piunno, P.A.E. 53

Krachler, M., see García, J.B. 255

Krull, U.J., see Piunno, P.A.E. 53

Krull, U.J.

Editorial 1

Lavilla, I., see Huerga, A. 121

Lee, H.-J., see Mak, S.K. 109

Lee, J.-A.

—, Tsai, Y.-C., Chen, H.-Y., Wang, C.-C., Chen, S.-M., Fukushima, T. and Imai, K.

Fluorimetric determination of D-lactate in urine of normal and diabetic rats by column-switching high-performance liquid chromatography 185

Legin, A.

-, Rudnitskaya, A., Seleznev, B. and Vlasov, Y.

Electronic tongue for quality assessment of ethanol, vodka and eau-de-vie 129

Li, F.m., see Yan, Z.y. 199

Li, L., see McDonald, C. 3

Li, Y., see Achenbach, J.C. 41

Li, Y., see Guo, H. 143

Li, Z.x., see Yan, Z.y. 199

Liang, R.

-, Qiu, J. and Cai, P.

A novel amperometric immunosensor based on three-dimensional sol-gel network and nanoparticle self-assemble technique 223

Liang, Y.m., see Yan, Z.y. 199

Macanás, J.

- and Muñoz, M.

Mass transfer determining parameter in facilitated transport through di-(2-ethylhexyl) dithiophosphoric acid activated composite membranes 101 Mahony, J.O.

-, Nolan, K., Smyth, M.R. and Mizaikoff, B.

Molecularly imprinted polymers—potential and challenges in analytical chemistry 31

Mak, S.K.

—, Shan, G., Lee, H.-J., Watanabe, T., Stoutamire, D.W., Gee, S.J. and Hammock, B.D.

Development of a class selective immunoassay for the type II pyrethroid insecticides 109

Mann, J., see Wang, E. 301

Marand, Å., see Karlsson, D. 263

Mattoussi, H., see Goldman, E.R. 63

Mauro, J.M., see Goldman, E.R. 63

McDonald, C.

- and Li. L.

Limited proteolysis combined with isotope labeling and quantitative LC-MALDI MS for monitoring protein conformational changes: a study on calcium-binding sites of cardiac Troponin C 3

Medintz, I.L., see Goldman, E.R. 63

Mizaikoff, B., see Mahony, J.O. 31

Mogopodi, D.

- and Torto, N.

Maximising metal ions flux across a microdialysis membrane by incorporating poly-L-aspartic acid, poly-L-histidine, 8-hydroxyquinoline and ethylenediaminetetraacetic acid in the perfusion liquid 239

Moliner-Martínez, Y.

-, Herráez-Hernández, R. and Campíns-Falcó, P.

Improved detection limit for ammonium/ammonia achieved by Berthelot's reaction by use of solid-phase extraction coupled to diffuse reflectance spectroscopy 327

Morales, F.J.

Assessing the non-specific hydroxyl radical scavenging properties of melanoidins in a Fenton-type reaction system 171

Mortier, L., see Huet, A.-C. 157

Muñoz, M., see Macanás, J. 101

Nohta, H., see Yoshida, H. 177

Nolan, K., see Mahony, J.O. 31

Nutiu, R., see Achenbach, J.C. 41

Onstad, G.D.

- and Weinberg, H.S.

Evaluation of the stability and analysis of halogenated furanones in disinfected drinking waters 281

Orsi, C., see Boutilier, K. 11

Othman, A.M., see El-Shahawi, M.S. 319

Persad, A., see Wang, E. 301

Piunno, P.A.E.

-, Watterson, J.H., Kotoris, C.C. and Krull, U.J.

Alteration of the selectivity of hybridization of immobilized oligonucleotide probes by co-immobilization with charged oligomers of ethylene glycol 53

Podtelejnikov, A.V., see Boutilier, K. 11

Prazen, B.J., see Staggemeier, B.A. 79

Prosser, R.S., see Evanics, F. 21

Qiu, J., see Liang, R. 223

Ramezani, M., see Shemirani, F. 163

ReVello, R.C., see Burkhardt, M.R. 89

Rožmarić Mačefat, M., see Grahek, Š. 271

Ross, M., see Boutilier, K. 11

Rudnitskaya, A., see Legin, A. 129

Sadik, O., see Tatini, R. 193

Salimi, A.

-, Hallaj, R. and Amini, M.K.

Electrocatalytic properties of [Ru(bpy)(tpy)Cl]PF₆ at carbon ceramic electrode modified with nafion sol-gel composite: application to amperometric detection of L-cysteine 335

Seleznev, B., see Legin, A. 129

Shahwan, T., see Yersel, M. 293

Shan, G., see Mak, S.K. 109

Sharma, R.K.

— and Goel, A.

Development of a Cr(III)-specific potentiometric sensor using Aurin tricarboxylic acid modified silica 137

Shemirani, F.

-, Baghdadi, M., Ramezani, M. and Jamali, M.R.

Determination of ultra trace amounts of bismuth in biological and water samples by electrothermal atomic absorption spectrometry (ET-AAS) after cloud point extraction 163

Shen, Y., see Bi, L. 343

Shotyk, W., see García, J.B. 255

Simonian, A.L.

-, Good, T.A., Wang, S.-S. and Wild, J.R.

Nanoparticle-based optical biosensors for the direct detection of organophosphate chemical warfare agents and pesticides 69

Skarping, G., see Karlsson, D. 263

Smith, S.G., see Burkhardt, M.R. 89

Smyth, M.R., see Mahony, J.O. 31

Sonoda, J., see Yoshida, H. 177

Staggemeier, B.A.

-, Collier, T.O., Prazen, B.J. and Synovec, R.E.

Effect of solution viscosity on dynamic surface tension detection 79

Stoutamire, D.W., see Mak, S.K. 109

Synovec, R.E., see Staggemeier, B.A. 79

Tatini, R.

-, Sadik, O., Bernhard, S. and Abruña, H.

Direct resolution of chiral 'pineno' fused terpyridyl ligands on amylose based chiral stationary phase using long chain alcohol modifiers 193

Taylor, P., see Boutilier, K. 11

Taylor, R., see Boutilier, K. 11

Torto, N., see Mogopodi, D. 239

Tréguer, P., see Corvaisier, R. 149

Tsai, Y.-C., see Lee, J.-A. 185

Usobiaga, A., see Cortazar, E. 247

Üzer, A.

-, Erçağ, E. and Apak, R.

Selective spectrophotometric determination of TNT in soil and water with dicyclohexylamine extraction 307

Vlasov, Y., see Legin, A. 129

Wang, C.-C., see Lee, J.-A. 185

Wang, E., see Bi, L. 343

Wang, E.

—, Chow, K.-F., Wang, W., Wong, C., Yee, C., Persad, A., Mann, J. and Bocarsly, A.

Optical sensing of HCl with phenol red doped sol-gels 301

Wang, S.-P.

- and Huang, T.-H.

Separation and determination of aminophenols and phenylenediamines by liquid chromatography and micellar electrokinetic capillary chromatography 207

Wang, S.-S., see Simonian, A.L. 69

Wang, W., see Wang, E. 301

Wang, Y.p., see Yan, Z.y. 199

Watanabe, T., see Mak, S.K. 109

Watterson, J.H., see Piunno, P.A.E. 53

Weinberg, H.S., see Onstad, G.D. 281

Wild, J.R., see Simonian, A.L. 69

Wong, C., see Wang, E. 301

Xiao, P., see Guo, H. 143

Xu, H.-B., see Chang, X.-L. 215

Yamaguchi, M., see Yoshida, H. 177

Yan, Z.y.

—, Jiao, C.j., Wang, Y.p., Li, F.m., Liang, Y.m. and Li, Z.x.

A method for the simultaneous determination of β -ODAP, α -ODAP, homoarginine and polyamines in *Lathyrus sativus* by liquid chromatography using a new extraction procedure 199

Yang, X.-L., see Chang, X.-L. 215

Yee, C., see Wang, E. 301

Yersel, M.

-, Erdem, A., Eroğlu, A.E. and Shahwan, T.

Separation of trace antimony and arsenic prior to hydride generation atomic absorption spectrometric determination 293

Yoshida, H.

—, Araki, J., Sonoda, J., Nohta, H., Ishida, J., Hirose, S. and Yamaguchi, M.

Screening method for organic aciduria by spectrofluorometric measurement of total dicarboxylic acids in human urine based on intramolecular excimer-forming fluorescence derivatization 177

Zaugg, S.D., see Burkhardt, M.R. 89

Zhao, X.-Z., see Chang, X.-L. 215

Zuloaga, O., see Cortazar, E. 247

Zyada, M.A., see El-Shahawi, M.S. 319